# LCA-2 (w/Scholle 1910 1/8")

Height: 31.3" Width: 12.2" Depth: 24.8" (79.5cm) (31.0cm) (63.0cm)



- Accommodates 1/2gal (1.9L) and most 1gal (3.8L) bag-in-box (BIB) containers
- Attractive appearance and narrow 12" (30.5 cm) width
- FlavorGard® technology continuously monitors extract-to-water ratio and assures flavor consistency
- Refill or rinse LED lights alert the operator for concentrate or cleaning
- Ventilated Cabinet
- Insulated product cabinet assures maximum product life

#### Agency:

Finish: Black

Dispense: Push Button

Legs: 4" Black Legs





### **Specifications**

Product #: 34400.0001

Product Ratio: 45:1-100:1

Connector: Scholle 1910LX

Water Access: Plumbed

### **Additional Features**

Alt Disp Rate 2.5 oz/s(74ml/s)

Alt Product Ratio 65:1-100:1

Hot Water Button

### **Electrical & Capacity**

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	13.2	1575	Yes	NEMA 5-15P	73	60°F (15.5°C)	1	2	60
208	21	4331	-	N/A	220	60°F (15.5°C)	1	2	60
240	24	5700	-	N/A	293	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

### Plumbing Requirements


1 1011101	9	1011101110			
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	3/8" Male Flare Fitting	-		


# CAD Drawings

2D	Revit	KLC
•		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Wamings.ca.gov








Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	31.3 in.	12.2 in.	24.8 in.	41.3 in.	21.9 in.	28.1 in.	89.460 lbs	14.687 ft <sup>3</sup>
Metric	79.5 cm	31.0 cm	63.0 cm	104.8 cm	55.6 cm	71.4 cm	40.579 kgs	0.416 m³



# Related Products & Accessories:LCA-2 (w/Scholle 1910 1/8")(34400.0001)





SYSTEM, WEQ-25(2).2

Product #: 56000.0028

CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101

CARTRIDGE, WQ-55(2)5

Product #: 56000.0104

CARTRIDGE, WQ-55

(3).2L

Product #: 56000.0102

CARTRIDGE, WQ-55(3).2

Product #: 56000.0105

# Related Products & Accessories:LCA-2 (w/Scholle 1910 1/8")(34400.0001)











Serving & Holding Options: LCA-2 (w/Scholle 1910 1/8")(34400.0001)
*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.*

